

# MINOS+ Status Report

Donatella Torretta
All Experimenters' Meeting
June 8, 2015



## Near Detector



#### **DAQ** news

No issues to report

#### **Electronics/Detector news**

#### **Usual:**

- One cold/hot channel
  - Replaced Minder boards a few times
  - Planning extensive investigation during the summer shutdown
  - Single bad channels are masked off and do not affect DQ
- Low Gain in Plane 28 (Calorimeter)
  - LED problem ? Bad fiber connection ?
  - Planned extensive investigation during summer shutdown



## Far Detector

#### **DAQ** news



• No issues to report

#### **Electronics/Detector news**

- That *one* usual flat charge injection channel
  - Might be looked up during summer shutdown



## MINOS+ Status

	1	Near Detector		Far Detector	
Start Date/Time	End Date/Time	<b>POT Fraction</b>	Live Time Fraction	<b>POT Fraction</b>	Live Time Fraction
3/23/2015 00:00:00	3/30/2015 00:00:00	99.6%	99.6%	99.4%	99.1%
3/30/2015 00:00:00	4/6/2015 00:00:00	96.2%	96.1%	99.9%	99.6%
4/6/2015 00:00:00	4/13/2015 00:00:00	94%	95%	99.9%	99.6%
4/13/2015 00:00:00	4/20/2015 00:00:00	90%	90%	98.7%	98.4%
4/20/2015 00:00:00	04/27/2015 00:00:00	84% (*)	96.7%	84% (*)	99.2%
4/27/205 00:00:00	05/04/2015 00:00:00	99.8%	99.4%	98.2%	98.3%
5/8/2015 00:00:00	5/11/2015 00:00:00	99.6%	99.4%	99.8%	99.5%
5/11/2015 00:00:00	5/18/2015 00:00:00	99%	99.1%	97.3%	94.1%
5/18/2015 00:00:00	5/25/2015 00:00:00	98.8%	99.3%	98.8%	98.9%
5/25/25 00:00:00`	06/01/2015	99.5%	99.5%	99.3%	97.7%
06/01/2015 00:00:00	06/08/2015 00:00:00	99.7%	99.7%	99.85%	99.85%

(\*) IFBeamDB data (ACNet devices with timestamp off 1s) has been fixed for this period

We are going to remake our beam files this week

#### All raw data IS fine and has been archived



# MINOS+ Status

#### ND POT fraction and Live Time Fraction



Start Date



# MINOS+ Status


#### **FD POT Fraction and Live Time Fraction**



Start Date




#### Neutrino Energy Spectrum Stability (PQ and NQ)









AEM, June 8, 2015

Donatella Torretta

### Intensity Investigation by batches' update

- Lots of effort are being put in understanding the issue and many studies are ongoing
- Effect persists with the larger beam spot size
- We'll update as we studies progress

### ND OSG IFBeamDB support

- The idea behind this service, is to try to streamline communications between AD, CS and ND Experiments in case of evident "beam issues"
- We are trying to implement it this week
- ND OSG members will be first responders in case of IFBeamDB issues (monitors not updating, A9 missing ...)
- Experiments should call a toll free number : 1-844-343-2326 that will in turn contact the OSG expert on-call
- The expert will have enough knowledge and tools to understand if it is an IFBeamDB issue or a data issues and respond such as
  - Fix the issue
  - Open ticket to be assigned to the IFBeamDB group
  - Call MCR, which in turn will page the Controls group
- We'll see how this goes and improve the procedure accordingly